



Model Number Designation

DM — T — 03 — 3C2

SPOOL TYPE (SEE PAGE 56)

PORT SIZE

02 : 1/4"

03 : 3/8"

04 : 1/2"

06 : 3/4"

10 : 1-1/4"

MOUNTING

G : SUB-PLATE MOUNTING

T : THREADED CONNECTING

MANUALLY OPERATED DIRECTIONAL VALVE SERIES

Ratings


MODEL	MAX. PRESSURE kgf/cm ²		BACK PRESSURE kgf/cm ²		MAX. FLOW l/min		MAX. FLOW (3C60 SPOOL) l/min		WEIGHT kgs	
DMG-02-*	315		140		60		40		1.6	
DMG-03-*	315	250	140	100	100	80	50	50	4.0	4.8
DMT-04-*	250		100		140		80		7.3	
DMG-06-*	315	250	140	100	350	250	250	150	15.0	12.4
DMT-10-*	210		100		500		280		22.0	

Technical drawing of a hydraulic cylinder with four views: front, side, top, and end view. The front view shows a cylinder with a diameter of 110 mm and a length of 176.5 mm. The side view shows a cylinder with a diameter of 110 mm and a length of 176.5 mm. The top view shows a cylinder with a diameter of 110 mm and a length of 176.5 mm. The end view shows a cylinder with a diameter of 110 mm and a length of 176.5 mm. Dimensions are given in mm.


Key dimensions and features:

- Front View:**
 - Overall length: 176.5
 - Mounting flange diameter: 110
 - Mounting flange thickness: 4
 - Mounting flange hole diameter: 26
 - Mounting flange hole spacing: 30
 - Mounting flange hole diameter: 67
 - Mounting flange hole diameter: 7
- Side View:**
 - Overall length: 176.5
 - Mounting flange diameter: 110
 - Mounting flange thickness: 4
 - Mounting flange hole diameter: 26
 - Mounting flange hole spacing: 30
 - Mounting flange hole diameter: 67
 - Mounting flange hole diameter: 7
- Top View:**
 - Overall length: 176.5
 - Mounting flange diameter: 110
 - Mounting flange thickness: 4
 - Mounting flange hole diameter: 26
 - Mounting flange hole spacing: 30
 - Mounting flange hole diameter: 67
 - Mounting flange hole diameter: 7
- End View:**
 - Overall length: 176.5
 - Mounting flange diameter: 110
 - Mounting flange thickness: 4
 - Mounting flange hole diameter: 26
 - Mounting flange hole spacing: 30
 - Mounting flange hole diameter: 67
 - Mounting flange hole diameter: 7

■ DMG-06



■ DMT-03.04.06.10



MODEL	A	B	C	D	E	F	G	H	J	K	L
DMT-03	174	82	39	74	68	50	33	3/8"	6.8	58	92
DMT-04	203	94	42	111	104	85	53	1/2"	9	80	107
DMT-06	258	99	41	130	120	98	66	3/4"	11	100	125
DMT-10	320	124	50	162	150	125	80	1-1/4"	13	134	162